

46.201

(7) Preservation, packaging, packing, and marking; and

(8) Procedures and processes for services to ensure that services meet contract performance requirements.

(d) The contractor is responsible for performing all inspections and test required by the contract except those specifically reserved for performance by the Government (see 46.201(c)).

[48 FR 42415, Sept. 19, 1983, as amended at 55 FR 38517, Sept. 18, 1990]

Subpart 46.2—Contract Quality Requirements

46.201 General.

(a) The contracting officer shall include in the solicitation and contract the appropriate quality requirements. The type and extent of contract quality requirements needed depends on the particular acquisition and may range from inspection at time of acceptance to a requirement for the contractor's implementation of a comprehensive program for controlling quality.

(b) As feasible, solicitations and contracts may provide for alternative, but substantially equivalent, inspection methods to obtain wide competition and low cost. The contracting officer may also authorize contractor-recommended alternatives when in the Government's interest and approved by the activity responsible for technical requirements.

(c) Although contracts generally make contractors responsible for performing inspection before tendering supplies to the Government, there are situations in which contracts will provide for specialized inspections to be performed solely by the Government. Among situations of this kind are—

(1) Tests that require use of specialized test equipment or facilities not ordinarily available in suppliers' plants or commercial laboratories (e.g., ballistic testing of ammunition, unusual environmental tests, and simulated service tests); and

(2) Contracts that require Government testing for first article approval (see subpart 9.3).

(d) Except as otherwise specified by the contract, required contractor testing may be performed in the contrac-

48 CFR Ch. 1 (10–1–11 Edition)

tor's or subcontractor's laboratory or testing facility, or in any other laboratory or testing facility acceptable to the Government.

46.202 Types of contract quality requirements.

Contract quality requirements fall into four general categories, depending on the extent of quality assurance needed by the Government for the acquisition involved.

[48 FR 42415, Sept. 19, 1983, as amended at 60 FR 48249, Sept. 18, 1995]

46.202–1 Contracts for commercial items.

When acquiring commercial items (see part 12), the Government shall rely on contractors' existing quality assurance systems as a substitute for Government inspection and testing before tender for acceptance unless customary market practices for the commercial item being acquired include in-process inspection. Any in-process inspection by the Government shall be conducted in a manner consistent with commercial practice.

[60 FR 48249, Sept. 18, 1995]

46.202–2 Government reliance on inspection by contractor.

(a) Except as specified in (b) below, the Government shall rely on the contractor to accomplish all inspection and testing needed to ensure that supplies or services acquired at or below the simplified acquisition threshold conform to contract quality requirements before they are tendered to the Government (see 46.301).

(b) The Government shall not rely on inspection by the contractor if the contracting officer determines that the Government has a need to test the supplies or services in advance of their tender for acceptance, or to pass judgment upon the adequacy of the contractor's internal work processes. In making the determination, the contracting officer shall consider—

(1) The nature of the supplies and services being purchased and their intended use;

(2) The potential losses in the event of defects;